Terminal Cutter Block & Blade Set for Wire Processing Machines JW-BL05

Model No. JW-BL05



SPECIFICATIONS

Tool Seat Thickness	10mm, 14mm, 15mm
Cutter Types	Round knife, V knife, Flat knife, Butt knife, Semi-circle butt knife
Wire Compatibility	2.0-14mm outer diameter
Cutter Seat Styles	U-shaped, V-shaped, OTP, 806, 2000 type
Blade Core Dimensions	9*8mm, 10*10mm
Trough Depth	7.6mm
Material Belt Cutting	With/without cutting options

JW-BL05 is a terminal cutter block and blade set: the seat that holds the cutting blade, the blade itself, and the trough that guides the wire into the cut. It is fitted to terminal machines and wire processing stations where the blade has to be positioned and depth-set rather than simply clamped.

The seat comes in 10 mm, 14 mm and 15 mm thickness, with the blade core at 9 x 8 mm or 10 x 10 mm, so the block matches the holder on the machine. Trough depth is 7.6 mm and takes wire from 2.0 to 14 mm outer diameter. The same seat accepts round, V, flat, butt and semi-circle butt knives, which is what allows one block to cover stripping, square cutting and half-round cutting. Seat styles are U-shaped, V-shaped, OTP, 806 and 2000 type, each offered with or without material belt cutting.

It is bought when a seat is worn at the trough, when a machine is set up for a new wire range, or when the holder type changes. The photo shows the OTP and 806 seats in standard and thickened form, with the belt-cutting and non-belt-cutting versions side by side.

Key Features

1. Seat thickness: 10 mm, 14 mm and 15 mm, to match different terminal machine holders.

2. Blade core: 9 x 8 mm and 10 x 10 mm sections, so the blade fits the existing seat bore.

3. Trough depth: 7.6 mm, sized for wire from 2.0 to 14 mm outer diameter.

4. Knife options: round, V, flat, butt and semi-circle butt knives in the same seat.

5. Seat styles: U-shaped, V-shaped, OTP, 806 and 2000 type, in standard and thickened bodies.

6. Material belt: available with or without the belt cutting function, selected at order.

Technical Specifications

Parameter	Specification
Model	JW-BL05
Item	Cutter block and blade set
Seat thickness	10 mm, 14 mm, 15 mm
Blade core	9 x 8 mm, 10 x 10 mm
Trough depth	7.6 mm
Wire compatibility	2.0-14 mm outer diameter
Cutter types	Round knife, V knife, flat knife, butt knife, semi-circle butt knife
Seat styles	U-shaped, V-shaped, OTP, 806, 2000 type
Material belt cutting	With or without

Applications

— Terminal machines with OTP or U/V seats - cutting and stripping where blade depth is set by the block.

— 806 and 2000 type stations, in the belt-cutting and non-belt-cutting versions.

— Wire processing lines covering 2.0 to 14 mm outer diameter, where one seat takes the full range.

— Replacement of seats worn at the trough, which shows as an inconsistent strip depth.

— Setup for a new wire range or holder type, where seat, knife and trough are changed together.

Seiko quality From the details

Factory direct sales Cutter block

Imported steel Vacuum hardening Quality Assurance



5-line large cutter seat, without cutting the strip



U-shaped large cutter seat, cutting the material belt



V-shaped large cutter seat without cutting the strip



U-shaped large cutter seat without cutting the strip

Cutter core



Five-line large cutter core



U-shaped large cutter core



V-shaped large cutter core

Three advantages

Let you know me better so that you need me more



SKD11 imported materials are finely ground

The cutter seat is made of SKD11 imported materials, with a service life of more than 1 million times



Vacuum quenching treatment

The cutter seat and cutter core are all vacuum quenched, the cutter seat is harder and the cutter core is more wear-resistant



Large quantity and good price

Powerful factory, self-produced and sold, large quantity is more favorable!

Cutter block



OTP cutter seat,
cut the strip



OTP cutter seat
without cutting the belt



OTP cutter holder
Thickened type,
without cutting the strip



OTP cutter holder
Thickened type
cut the strip



806切刀座，不切断料带



2000型切刀座，切断料带

Cutter core



OTP cutter core
Do not cut the tape



OTP cutter core
Cut the tape



2000 type cutter core
Do not cut the tape

Cutter block



U-shaped cutter seat, thickened



Stripping machine cutter seat

Product spotlight

Display products and technologies from multiple angles

5-line large cutter seat, without cutting the strip

Tool seat thickness 10mm



Front



Side



Back

U-shaped large cutter seat, without cutting the strip

Tool seat thickness 10mm



Front



Side



Back

Five-line large cutter core



Front Side Back

U-shaped large cutter core



Front Side Back

V-shaped large cutter core



Front Side Back

OTP cutter seat front, side and back, 10 mm seat with 9x8 core

Thickened OTP cutter holder, 14 mm seat, 10x10 core, 7.6 mm trough depth

806 cutter seat without tape cutting and 2000-type cutter seat cutting the strip

OTP cutter cores, cut and non-cut versions, plus 2000-type core with spring

U-shaped thickened holder and stripper machine cutter seat from three angles

Product Images



