# Automatic Water Activated Gummed Tape Dispenser Machine AT JW-TP03

Model No. JW-TP03




**SPECIFICATIONS**

| Automatic Water Activated Gummed Tape Dispenser Machine AT | |
|---|---|
| **Voltage** | 210-230V |
| **Tape Width** | 4-8cm |
| **Power** | 200W |
| **Speed** | 30cm/s |
| **Weight** | 12kg |

The JW-TP03 dispenses water-activated gummed paper tape from 4 cm to 8 cm wide at 30 cm/s, wetting the adhesive side as the tape leaves the roll and cutting it to a preset length. It runs on 210-230 V with a 200 W motor and weighs 12 kg.

Gummed paper tape only bonds when the starch adhesive is wetted evenly: too little water and the tape lifts at the carton edge, too much and the paper cockles. The JW-TP03 draws the tape over a wetted roller fed from the reservoir in the top cover, then feeds and cuts it in one pass. Preset length keys from 15 cm to 100 cm on the front keypad repeat the lengths used for box flaps, so the sealing station does not measure tape by hand.

The RT-3000 and ZCUT-80 cut pressure-sensitive tape, which bonds on contact and needs no water, and the M-1000 handles 7-50 mm plastic tape over a 20-999 mm length range. The JW-TP03 works only with gummed paper tape: 4-8 cm width, 30 cm/s feed and a 12 kg body that stays in place while the cut strip is pulled onto the carton.

## Key Features

**1.** A 4-8 cm tape width covers standard 48 mm and 72 mm gummed paper tape on one machine.

**2.** A 30 cm/s feed speed from a 200 W motor on a 210-230 V supply.

**3.** A water tank feeds the wetting roller, so the starch adhesive is activated immediately before the strip leaves the machine.

**4.** Preset length keys from 15 cm to 100 cm, plus start and stop keys, repeat common flap lengths without a measuring step.

**5.** A 12 kg body keeps the dispenser steady when the cut strip is pulled away onto the carton.

**6.** Cuts gummed paper tape to length in one pass and delivers the strip at the front slot ready to place on the carton.

## Technical Specifications

| Parameter | Specification |
|---|---|
| **Model** | JW-TP03 |

| Parameter | Specification |
|---|---|
| **Machine type** | Automatic water-activated gummed tape dispenser |
| **Voltage** | 210-230 V |
| **Tape width** | 4-8 cm |
| **Power** | 200 W |
| **Speed** | 30 cm/s |
| **Weight** | 12 kg |
| **Preset lengths** | 15-100 cm on the front keypad |

## Applications

— Export carton sealing: gummed paper tape on corrugated boxes for single-material, recyclable packaging.


— E-commerce fulfilment: repeatable 40-60 cm tape lengths for box flap sealing at a packing bench.

— Agricultural cartons: paper tape sealing where a water-based adhesive is preferred to a solvent acrylic.

— Archive and document boxes: tamper-evident paper tape closure that shows if the carton has been reopened.

— Coil and cable drum cartons: heavy paper tape for cartons that are stacked after sealing.









Customized Color To Meet The Different Market Demands


1


2


3
15
SET
2x
ENT
AUTO
95
105
75
85
55
65
35
45
15
25
START
REPEAT




2.0 versus 1.0 comparison: paint, cutter, length error, internal structure

Environmental text about plastic waste beside paper cushioning packaging

## FAQ

**What is the maximum speed of the Automatic Water Activated Gummed Tape Dispenser Machine AT?**

The Automatic Water Activated Gummed Tape Dispenser Machine AT operates at a high speed of 30 cm per second, allowing for rapid dispensing and activation of gummed tape to boost packaging productivity in industrial settings.

**What tape widths are compatible with this automatic gummed tape machine?**

This automatic gummed tape machine accommodates tape widths ranging from 4 cm to 8 cm, providing versatility for sealing various box sizes and ensuring secure, tamper-evident closures.

**How does the water activated gummed tape dispenser enhance packaging security?**

The water activated gummed tape dispenser creates a strong, permanent bond with cardboard boxes, making the tape an integral part of the carton and providing tamper-evident sealing. This reduces the risk of theft and ensures product integrity during transit, unlike plastic pressure-sensitive tapes.

**Is the Automatic Water Activated Gummed Tape Dispenser Machine AT suitable for eco-friendly packaging?**

Yes, this machine is designed for use with kraft gummed paper tape, which is biodegradable, recyclable, and often made from recycled materials. It supports sustainable packaging practices while maintaining high performance and security.

**What are the power requirements and weight of the industrial tape dispenser model AT?**

The industrial tape dispenser model AT operates on a voltage of 210-230V with a power consumption of 200W. It weighs 12 kg, making it durable yet manageable for integration into packaging lines.